

| A Bird Checklist for the Santa Fe National Forest (1997) | | | | | | | | | | | | |
|--|---------------------------|--------|-----|-----|----------|-----|-----|-----|------|-----|-----|-----|
| Abundance code: | | | | | | | | | | | | |
| C: Common | | | | | | | | | | | | |
| F: Fairly Common | | | | | | | | | | | | |
| U: Uncommon | | | | | | | | | | | | |
| R: Rare | | | | | | | | | | | | |
| O: Occasional | | | | | | | | | | | | |
| X: Accidental | | | | | | | | | | | | |
| *: Breeds | | | | | | | | | | | | |
| Habitat code and elevation: | | | | | | | | | | | | |
| Jun: Juniper savannah and shrublands (5500-6500 ft) | | | | | | | | | | | | |
| P-J: Pinyon-Juniper woodland (6000-7500 ft) | | | | | | | | | | | | |
| Pon: Ponderosa Pine and Oak forest (7000-8000 ft) | | | | | | | | | | | | |
| Mix: Mixed conifer forest (8000-9000 ft) | | | | | | | | | | | | |
| Spru: Spruce-Fir and Aspen forest (9000-11000 ft) | | | | | | | | | | | | |
| Alp: Alpine (10000-13000 ft) | | | | | | | | | | | | |
| Clf: Cliffs and open sky | | | | | | | | | | | | |
| Wat: Open water and riparian areas | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | Species | Season | | | Habitats | | | | | | | |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 1 | Pied-billed Grebe | | R | R | | | | | | | | ● |
| 2 | Eared Grebe | | | O | | | | | | | | ● |
| 3 | Double-crested Cormorant | F | | F | | | | | | | | ● |
| 4 | Great Blue Heron | | | U | | | | | | | | ● |
| 5 | Snowy Egret | | | O | | | | | | | | ● |
| 6 | Black-crowned Night-Heron | | | R | | | | | | | | ● |
| 7 * | Turkey Vulture | C | | C | ● | ● | ● | ● | ● | | ● | ● |
| 8 * | Canada Goose | U | U | U | | | | | | | | ● |
| 9 | Gadwall | | R | R | | | | | | | | ● |
| 10 | American Wigeon | | U | U | | | | | | | | ● |
| 11 * | Mallard | U | F | F | | | | | | | | ● |
| 12 | Blue-winged Teal | | | R | | | | | | | | ● |
| 13 | Cinnamon Teal | | | O | | | | | | | | ● |
| 14 | Northern Shoveler | | | O | | | | | | | | ● |
| 15 | Northern Pintail | | R | R | | | | | | | | ● |
| 16 | Green-winged Teal | R | U | U | | | | | | | | ● |
| 17 | Bufflehead | | R | R | | | | | | | | ● |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 18 * | Common Goldeneye | | R | R | | | | | | | | ● |
| 19 | Hooded Merganser | | O | O | | | | | | | | ● |
| 20 | Common Merganser | F | F | F | | | | | | | | ● |
| 21 | Osprey | | | R | | | | | | | ● | ● |
| 22 | Bald Eagle | | R | R | | | | | | | ● | ● |
| 23 | Northern Harrier | | R | R | ● | | | | | | ● | |
| 24 * | Sharp-shinned Hawk | U | F | F | | | | ● | ● | | | |
| 25 * | Cooper's Hawk | U | F | F | | ● | ● | ● | ● | | | |
| 26 * | Northern Goshawk | U | U | U | | | ● | ● | ● | | | |
| 27 | Swainson's Hawk | | | U | ● | | | | | | | |

| | | | | | | | | | | | | |
|------|---------------------------|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|
| 28 * | Zone-tailed Hawk | R | | R | | ● | ● | | | | | |
| 29 * | Red-tailed Hawk | F | F | F | ● | ● | ● | ● | ● | ● | ● | ● |
| 30 * | Golden Eagle | U | U | U | | | | | | | ● | |
| 31 * | American Kestrel | F | U | F | ● | ● | ● | | | | | |
| 32 | Merlin | | R | R | ● | ● | ● | ● | ● | ● | ● | ● |
| 33 * | Prairie Falcon | U | U | U | | | | | | | ● | |
| 34 * | Peregrine Falcon | R | R | R | | | | | | | ● | |
| 35 * | Blue Grouse | U | U | U | | | ● | ● | ● | | | |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 36 * | White-tailed Ptarmigan | R | R | R | | | | | | ● | | |
| 37 * | Wild Turkey | U | U | U | | ● | ● | ● | | | | |
| 38 * | Scaled Quail | R | R | R | ● | | | | | | | |
| 39 | Sora | O | | O | | | | | | | | ● |
| 40 | American Coot | R | R | R | | | | | | | | ● |
| 41 | Sandhill Crane | | | U | | | | | | | ● | ● |
| 42 * | Killdeer | U | R | U | | | | | | | | ● |
| 43 * | Spotted Sandpiper | U | | U | | | | | | | | ● |
| 44 * | Long-billed Curlew | R | | R | ● | | | | | | | |
| 45 | Common Snipe | R | O | R | | | | | | | | ● |
| 46 * | Rock Dove | U | U | U | ● | | | | | | ● | |
| 47 * | Band-tailed Pigeon | U | | U | | ● | ● | ● | ● | | | |
| 48 * | Mourning Dove | C | O | C | ● | ● | ● | | | | | |
| 49 | Yellow-billed Cuckoo | | | R | | | | | | | | ● |
| 50 * | Greater Roadrunner | R | R | R | ● | ● | | | | | | |
| 51 * | Flammulated Owl | F | | U | | | ● | ● | ● | | | |
| 52 * | Western Screech-Owl | R | R | R | ● | ● | | | | | | ● |
| 53 * | Great Horned Owl | U | U | U | ● | ● | ● | ● | ● | ● | ● | ● |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 54 * | Northern Pygmy-Owl | R | R | R | | ● | ● | ● | ● | | | |
| 55 * | Burrowing Owl | R | | R | ● | | | | | | | |
| 56 * | Spotted Owl | R | R | R | | | ● | ● | ● | | | |
| 57 * | Long-eared Owl | R | R | R | | ● | ● | | | | | ● |
| 58 * | Boreal Owl | R | R | R | | | | ● | ● | | | |
| 59 * | Northern Saw-whet Owl | U | U | U | | | | ● | ● | | | |
| 60 * | Common Nighthawk | C | | F | ● | ● | ● | | | | | |
| 61 * | Common Poorwill | F | | F | ● | ● | ● | | | | | |
| 62 | Whip-poor-will | O | | O | | ● | ● | ● | | | | |
| 63 | Black Swift | R | | R | | | | | | | ● | |
| 64 | White-throated Swift | C | | C | | | | | | | ● | |
| 65 | Magnificent Hummingbird | | | O | | ● | ● | ● | | | | ● |
| 66 * | Black-chinned Hummingbird | U | | U | ● | ● | | | | | | ● |
| 67 | Calliope Hummingbird | U | | U | ● | ● | ● | ● | ● | ● | ● | ● |
| 68 * | Broad-tailed Hummingbird | C | | C | | ● | ● | ● | ● | | | |
| 69 | Rufous Hummingbird | C | | C | ● | ● | ● | ● | ● | ● | ● | ● |
| 70 * | Belted Kingfisher | U | R | U | | | | | | | | ● |
| 71 * | Lewis's Woodpecker | U | R | U | | ● | ● | | | | | ● |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 72 | Red-headed Woodpecker | | | O | | | | | | | | ● |
| 73 * | Acorn Woodpecker | U | R | R | | ● | ● | | | | | ● |
| 74 | Yellow-bellied Sapsucker | | O | O | | ● | ● | | | | | ● |
| 75 * | Red-naped Sapsucker | F | R | F | | | ● | ● | ● | | | ● |

| | | | | | | | | | | | | |
|-------|--------------------------|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|
| 76 * | Williamson's Sapsucker | F | R | F | | | | • | • | | | |
| 77 * | Ladder-backed Woodpecker | R | R | R | • | • | | | | | | |
| 78 * | Downy Woodpecker | U | U | U | | • | • | • | • | | | • |
| 79 * | Hairy Woodpecker | F | F | F | | • | • | • | • | | | |
| 80 * | Three-toed Woodpecker | R | R | R | | | • | • | • | | | |
| 81 * | Northern Flicker | C | C | C | • | • | • | • | • | • | • | • |
| 82 * | Olive-sided Flycatcher | U | | U | | | | • | • | | | |
| 83 * | Western Wood-Pewee | F | | F | | | • | • | | | | |
| 84 | Willow Flycatcher | | | R | | | | | | | | • |
| 85 * | Hammond's Flycatcher | F | | F | | | | • | • | | | • |
| 86 * | Dusky Flycatcher | U | | F | | | • | • | • | | | |
| 87 * | Gray Flycatcher | F | | F | | • | • | | | | | |
| 88 * | Cordilleran Flycatcher | C | | U | | | • | • | • | | | |
| 89 * | Black Phoebe | R | | R | | | | | | | | • |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 90 * | Say's Phoebe | F | O | F | • | • | • | | | | | |
| 91 * | Ash-throated Flycatcher | F | | U | • | • | • | | | | | |
| 92 * | Cassin's Kingbird | F | | F | • | • | • | | | | | |
| 93 * | Western Kingbird | R | | R | • | | | | | | | |
| 94 | Eastern Kingbird | | | O | • | | | | | | | • |
| 95 | Northern Shrike | | R | R | • | • | | | | | | |
| 96 * | Loggerhead Shrike | U | U | U | • | | | | | | | |
| 97 | Cassin's Vireo | | | U | | • | • | | | | | |
| 98 * | Plumbeous Vireo | C | | F | | • | • | | | | | |
| 99 * | Warbling Vireo | C | | U | | | | • | • | | | • |
| 100 * | Gray Jay | U | U | U | | | | • | • | | | |
| 101 * | Steller's Jay | C | C | C | | | • | • | • | | | |
| 102 | Blue Jay | | | O | • | • | | | | | | • |
| 103 * | Western Scrub-Jay | C | C | C | • | • | | | | | | |
| 104 * | Pinyon Jay | F | F | F | • | • | | | | | | |
| 105 * | Clark's Nutcracker | F | F | F | | • | • | • | • | | | |
| 106 * | Black-billed Magpie | U | U | U | • | • | • | • | • | | | • |
| 107 * | American Crow | F | F | F | | • | • | | | | | • |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 108 * | Common Raven | C | C | C | • | • | • | • | • | • | • | • |
| 109 * | Horned Lark | U | U | U | • | | | | | • | | |
| 110 * | Purple Martin | R | | R | | • | • | | | | | |
| 111 * | Tree Swallow | O | | U | | | • | • | • | | | • |
| 112 * | Violet-green Swallow | C | | C | | | • | • | • | | | • |
| 113 * | N. Rough-winged Swallow | U | | U | • | • | | | | | | • |
| 114 * | Bank Swallow | R | | R | • | • | | | | | | • |
| 115 * | Barn Swallow | U | | U | • | • | | | | | | • |
| 116 * | Cliff Swallow | F | | F | • | • | | | | | • | • |
| 117 * | Black-capped Chickadee | R | R | R | | • | | | | | | • |
| 118 * | Mountain Chickadee | C | C | C | | • | • | • | • | | | |
| 119 * | Juniper Titmouse | F | F | F | • | • | | | | | | |
| 120 * | Bushtit | F | F | F | • | • | • | | | | | |
| 121 * | Red-breasted Nuthatch | F | F | F | | • | • | • | • | | | |
| 122 * | White-breasted Nuthatch | F | F | F | | • | • | • | • | | | |
| 123 * | Pygmy Nuthatch | C | C | C | | | • | | | | | |
| 124 * | Brown Creeper | U | U | F | | | • | • | • | | | |

| | | | | | | | | | | | | |
|-------|-----------------------------|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|
| 125 | Cactus Wren | | | X | ● | | | | | | | |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 126 * | Rock Wren | F | | F | ● | | | | | | ● | |
| 127 * | Canyon Wren | U | R | R | | | | | | | ● | |
| 128 * | Bewick's Wren | U | R | U | ● | ● | | | | | | |
| 129 * | House Wren | F | | F | | | | ● | ● | | | |
| 130 | Winter Wren | | O | O | | | | | | | | ● |
| 131 * | American Dipper | U | U | U | | | | | | | | ● |
| 132 * | Golden-crowned Kinglet | F | F | F | | | | ● | ● | | | |
| 133 * | Ruby-crowned Kinglet | F | O | C | | | | ● | ● | | | |
| 134 * | Blue-gray Gnatcatcher | R | | U | ● | ● | | | | | | |
| 135 | Eastern Bluebird | | | X | ● | ● | | | | | | ● |
| 136 * | Western Bluebird | C | U | F | | ● | ● | ● | ● | | | |
| 137 * | Mountain Bluebird | F | U | F | | ● | ● | ● | ● | | | |
| 138 * | Townsend's Solitaire | U | C | C | | ● | ● | ● | ● | | | |
| 139 | Swainson's Thrush | | | O | | | ● | ● | ● | | | |
| 140 * | Hermit Thrush | C | O | C | | | ● | ● | ● | | | |
| 141 * | American Robin | C | F | C | | | ● | ● | ● | | | ● |
| 142 * | Gray Catbird | R | | R | | | | | | | | ● |
| 143 * | Northern Mockingbird | U | | U | ● | | | | | | | |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 144 | Sage Thrasher | | R | U | ● | ● | | | | | | |
| 145 | Brown Thrasher | | | O | ● | ● | | | | | | |
| 146 | Bendire's Thrasher | O | | O | ● | ● | | | | | | |
| 147 * | Curve-billed Thrasher | R | O | R | ● | ● | | | | | | |
| 148 * | European Starling | F | F | F | ● | | | | | | | ● |
| 149 * | American Pipit | F | O | U | | | | | | ● | | |
| 150 | Bohemian Waxwing | | X | X | | ● | ● | | | | | ● |
| 151 | Cedar Waxwing | | O | F | ● | ● | | | | | | ● |
| 152 * | Orange-crowned Warbler | U | | F | | | | ● | ● | | | |
| 153 | Nashville Warbler | | | O | ● | ● | ● | | | | | ● |
| 154 * | Virginia's Warbler | F | | F | | ● | ● | ● | | | | |
| 155 * | Yellow Warbler | F | | U | | | | | | | | ● |
| 156 | Yellow-rumped Warbler | | | | | | | | | | | |
| | * Audubon's form | C | R | C | | | ● | ● | ● | | | |
| | Myrtle form | | | R | ● | ● | ● | | | | | |
| 157 * | Black-throated Gray Warbler | U | | R | | ● | | | | | | |
| 158 | Townsend's Warbler | | | U | | ● | ● | ● | | | | ● |
| 159 * | Grace's Warbler | C | | O | | | ● | | | | | |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 160 | Black and White Warbler | | | O | | ● | ● | | | | | |
| 161 | American Redstart | | | R | | ● | ● | | | | | ● |
| 162 | Northern Waterthrush | | | R | | | | | | | | ● |
| 163 * | MacGillivray's Warbler | C | | F | | | | ● | ● | | | ● |
| 164 * | Common Yellowthroat | R | | R | | | | | | | | ● |
| 165 * | Wilson's Warbler | R | | C | | | ● | ● | ● | | | ● |
| 166 * | Yellow-breasted Chat | U | | U | | | | | | | | ● |
| 167 * | Hepatic Tanager | R | | R | | ● | ● | | | | | ● |
| 168 * | Western Tanager | F | | F | | | ● | ● | ● | | | ● |
| 169 * | Green-tailed Towhee | F | | F | | | | ● | ● | | | |
| 170 * | Spotted Towhee | C | U | U | ● | ● | ● | | | | | ● |

| | | | | | | | | | | | | |
|-------|-------------------------|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|
| 171 * | Canyon Towhee | U | U | U | ● | ● | | | | | | |
| 172 * | Rufous-crowned Sparrow | R | R | R | ● | | | | | | ● | |
| 173 | American Tree Sparrow | | O | O | ● | ● | | | | | | ● |
| 174 * | Chipping Sparrow | U | | C | | ● | ● | | | | | |
| 175 | Clay-colored Sparrow | | | O | ● | ● | | | | | | |
| 176 | Brewer's Sparrow | R | | F | ● | ● | | | | | | |
| 177 * | Vesper Sparrow | F | | U | ● | ● | | | | | | |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 178 * | Lark Sparrow | F | | U | ● | ● | | | | | | |
| 179 * | Black-throated Sparrow | R | | R | ● | | | | | | | |
| 180 | Sage Sparrow | | | R | ● | ● | | | | | | |
| 181 | Lark Bunting | | | R | ● | ● | | | | | | |
| 182 | Savannah Sparrow | | | R | ● | | | | | | | |
| 183 | Baird's Sparrow | | | X | ● | ● | | | | ● | | |
| 184 | Fox Sparrow | | O | O | ● | ● | | | | | | |
| 185 * | Song Sparrow | F | U | U | | | | | | | | ● |
| 186 * | Lincoln's Sparrow | R | O | U | | | | | | | | ● |
| 187 | White-throated Sparrow | | O | O | ● | ● | | | | | | |
| 188 | Harris's Sparrow | | | X | ● | ● | | | | | | |
| 189 * | White-crowned Sparrow | F | U | C | | | | | ● | ● | | |
| 190 | Golden-crowned Sparrow | | O | O | ● | ● | | | | | | |
| 191 | Dark-eyed Junco | | | | | | | | | | | |
| | * Gray-headed form | C | C | C | | | ● | ● | ● | | | |
| | Oregon form | | C | C | ● | ● | ● | ● | ● | | | ● |
| | Slate-colored form | | R | R | ● | ● | ● | | | | | |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 192 | Rose-breasted Grosbeak | | | O | | ● | ● | | | | | ● |
| 193 * | Black-headed Grosbeak | C | | C | | ● | ● | ● | ● | | | ● |
| 194 * | Blue Grosbeak | U | | U | ● | ● | | | | | | ● |
| 195 * | Lazuli Bunting | U | | U | ● | ● | | | | | | ● |
| 196 * | Indigo Bunting | R | | R | ● | | | | | | | ● |
| 197 * | Red-winged Blackbird | F | U | U | | | | | | | | ● |
| 198 * | Western Meadowlark | C | U | U | ● | | | | | | | |
| 199 | Yellow-headed Blackbird | | | U | | ● | ● | | | | | ● |
| 200 * | Brewer's Blackbird | F | | U | | ● | ● | | | | | ● |
| 201 * | Great-tailed Grackle | R | O | R | | | | | | | | ● |
| 202 * | Brown-headed Cowbird | F | | U | ● | ● | ● | ● | | | | |
| 203 * | Bullock's Oriole | U | | U | ● | | | | | | | ● |
| 204 * | Scott's Oriole | R | | R | ● | | | | | | | |
| 205 | Gray-crowned Rosy Finch | | R | R | | | | | ● | ● | ● | |
| | Hepburn's form | | R | R | | | | | ● | ● | ● | |
| 206 | Black Rosy Finch | | R | R | | | | | ● | ● | ● | |
| 207 * | Brown-capped Rosy Finch | R | R | R | | | | | | ● | ● | |
| | | Sum | Win | Mig | Jun | P-J | Pon | Mix | Spru | Alp | Clf | Wat |
| 208 * | Pine Grosbeak | U | U | U | | | | ● | ● | | | |
| 209 * | Cassin's Finch | U | F | F | | | | ● | ● | | | |
| 210 * | House Finch | C | F | F | ● | ● | | | | | | |
| 211 * | Red Crossbill | F | F | F | | ● | ● | ● | ● | | | |
| 212 | White-winged Crossbill | | X | X | | | | | ● | | | |
| 213 * | Pine Siskin | C | C | C | | | ● | ● | ● | | | |
| 214 * | Lesser Goldfinch | F | | F | ● | ● | ● | | | | | ● |

| | | | | | | | | | | | | |
|-----|--------------------|---|---|---|---|---|---|---|---|--|--|---|
| 215 | American Goldfinch | | R | R | | ● | ● | | | | | ● |
| 216 | * Evening Grosbeak | F | F | F | | | ● | ● | ● | | | |
| 217 | * House Sparrow | U | U | U | ● | | | | | | | |